

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	0	((height adj adjust\$4) and (platform or ramp or table or slab) and ((hole or groove or opening) same (angled or oblong or inclined)) and (blade or knife or cut\$4 near edge) and slice).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/16 14:31
L7	0	((height adj adjust\$4) and (platform or ramp or table or slab) and ((hole or groove or opening) and (angled or oblong or inclined)) and (blade or knife or cut\$4 near edge) and slice).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/16 14:31
L8	0	((height same adjust\$4) and (platform or ramp or table or slab) and ((hole or groove or opening) and (angled or oblong or inclined)) and (blade or knife or cut\$4 near edge) and slice).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/16 14:31
L9	329	((height same adjust\$4) and (platform or ramp or table or slab) and ((hole or groove or opening) and (angled or oblong or inclined)) and (blade or knife or cut\$4 near edge) and slice)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/16 14:32
L10	45	((height same adjust\$4) and (platform or ramp or table or slab) and ((hole or groove or opening) and (angled or oblong or inclined)) and (blade or knife or cut\$4 near edge) and slice) and (motion same (angle\$1 or oblique))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/16 14:33

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	0	((height adj adjust\$4) and (platform or ramp or table or slab) and ((hole or groove or opening) same (angled or oblong or inclined)) and (blade or knife or cut\$4 near edge) and slice).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/16 14:31
L7	0	((height adj adjust\$4) and (platform or ramp or table or slab) and ((hole or groove or opening) and (angled or oblong or inclined)) and (blade or knife or cut\$4 near edge) and slice).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/16 14:31
L8	0	((height same adjust\$4) and (platform or ramp or table or slab) and ((hole or groove or opening) and (angled or oblong or inclined)) and (blade or knife or cut\$4 near edge) and slice).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/16 14:31
L9	329	((height same adjust\$4) and (platform or ramp or table or slab) and ((hole or groove or opening) and (angled or oblong or inclined)) and (blade or knife or cut\$4 near edge) and slice)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/16 14:32
L10	45	((height same adjust\$4) and (platform or ramp or table or slab) and ((hole or groove or opening) and (angled or oblong or inclined)) and (blade or knife or cut\$4 near edge) and slice) and (motion same (angle\$1 or oblique))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/16 14:33
S1	10	((("6732622") or ("5001835") or ("4212431") or ("2715927")).PN. or ((2005/0028685) or (2004/0231482)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/11 15:06
S2	4	((("6732622") or ("5001835") or ("4212431") or ("2715927")).PN. or ((2005/0028685) or (2004/0231482) or (2004/0200366)).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/01/11 15:07
S3	10	((("1974194") or ("5745999") or ("5765472") or ("2715927")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/11 15:11

EAST Search History

S4	5	(height adj adjust\$4) near9 (platform or ramp or table or slab) with ((hole or groove) near (angled or oblong or inclined))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 16:42
S5	7	(height adj adjust\$4) near9 (platform or ramp or table or slab) with ((hole or groove or opening) near9 (angled or oblong or inclined))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/16 14:29
S6	235	(height adj adjust\$4) near9 (platform or ramp or table or slab) with ((hole or groove or opening))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 17:07
S7	249	83/247.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 17:30
S8	294	83/856.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 17:38
S9	143	83/857.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/11 17:38
S10	24	("0161920" "2035111" "2715927" "4212431" "4290196" "4436011" "4733588" "4733589" "5075973" "5088392" "5148731" "5445332" "5478018").PN. OR ("5765472"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/11 17:55
S11	3	("1320261" "5765472").PN. OR ("6044741").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/11 18:08
S12	134	"269"/\$.ccls. and (((height or vertical) near adjust\$4) near9 (sled or table or platform))	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/11 18:17
S13	289	248/37.3.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/11 18:19
S14	570	"248"/\$.ccls. and (((height or vertical) near adjust\$4) with (platform or plane or ramp or sled))	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/11 18:21

EAST Search History

S15	954	"248"/\$.ccls. and (((height or vertical) near adjust\$4) with (platform or plane or ramp or sled or table))	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/11 18:22
S16	60	"248"/\$.ccls. and (((height or vertical) near adjust\$4) with (platform or plane or ramp or sled or table) with (hole\$1 or groove\$1 or channel\$1))	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/11 18:25
S17	646	(((height or vertical) near adjust\$4) with (platform or plane or ramp or sled or table) with (hole\$1 or groove\$1 or channel\$1))	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/11 18:25
S18	145	(((height or vertical) near adjust\$4) with (platform or plane or ramp or sled or table) with ((hole\$1 or groove\$1 or channel\$1) near9 (projection or stud or pin or peg or rod or receiving)))	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 10:43
S19	490	((83/703) or (83/704)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/12 17:19
S20	783	((83/707) or (83/708) or (83/717)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 09:50
S21	2185	((83/422) or (83/431) or (83/435.12)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:09
S22	321	((83/435.15) or (83/437.7) or (83/657)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:13
S23	464	((83/444.1) or (83/554) or (83/858)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:20
S24	1499	((83/932) or (83/652) or (83/425.3)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:33

EAST Search History

S25	406	(83/698.11).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:37
S26	814	(99/537).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 10:42
S27	1272	((30/278) or (30/279.6) or (30/280)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 11:16
S28	98	("30"/\$.ccls. or "83"/\$.ccls. or "99"/\$.ccls. or "248"/\$.ccls. or "269"/\$.ccls.) and (((height or vertical) near9 adjust\$4) with (platform or plane or ramp or sled or table) with ((hole\$1 or groove\$1 or channel\$1) same (projection or stud or pin or peg or rod or receiving)))	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 10:47
S29	76	269/72.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 10:48
S30	83	269/67.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 10:49
S31	336	269/69.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 10:53
S32	1057	269/309.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 10:53
S33	1481	((30/283) or (30/286) or (30/287)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 11:23
S34	1155	((30/289) or (30/290) or (30/291)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/13 11:30

EAST Search History

S35	53	vincent.in. near jacques	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 11:30
S36	46	(Slicer or cutter) with ((ramp or table or platform or bench) near9 (groove\$1 or channel\$1 or hole\$1))	US-PGPUB	OR	ON	2006/01/19 10:55
S37	31	241/100.ccls.	US-PGPUB	OR	ON	2006/01/19 11:06
S38	2	83/441.1.ccls.	US-PGPUB	OR	ON	2006/01/19 11:05
S39	211	83/441.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 11:36
S40	1004	241/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/19 11:06
S41	31	((("1528906") or ("1534674") or ("0196550") or ("3642704") or ("0486118") or ("0769156") or ("2032260"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/19 11:37
S42	281	(241/273.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/24 17:27
S43	2	("564656").URPN.	USPAT	OR	ON	2006/01/24 17:35
S44	0	("11351").URPN.	USPAT	OR	ON	2006/01/24 17:37
S45	18	food adj processor with push with rod	USPAT	OR	ON	2006/01/24 17:37
S46	0	241/273.\$.ccls. with ((non adj circular) or non-circular or oval or ((cannot or no\$1) near rotate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/24 17:56
S47	0	241/273.\$.ccls. with ((non adj circular) or non-circular or oval or ((cannot or no\$1) near rotate) or (feed adj tube))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/24 17:59

EAST Search History

S48	776	d7/678.ccls. d7/673.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/24 17:59
S49	8	("563652").URPN.	USPAT	OR	ON	2006/01/24 18:06